


# Healthcare at a Glance, 2015

## 9.1. Health expenditure per capita, 2013 (or nearest year)




Note: Expenditure excludes investments, unless otherwise stated.


1. Includes investments.

2. Data refers to 2012.

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>; WHO Global Health Expenditure Database.

StatLink  <http://dx.doi.org/10.1787/888933281252>

### 9.3. Health expenditure as a share of GDP, 2013 (or nearest year)




Note: Excluding investments unless otherwise stated.


1. Data refers to 2012.

2. Including investments.

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>; WHO Global Health Expenditure Database.

StatLink  <http://dx.doi.org/10.1787/888933281263>


## 10.1. Expenditure on pharmaceuticals per capita, 2013 (or nearest year)




1. Includes medical non-durables (resulting in an over-estimation of around 5-10%).

2. Excludes spending on over-the-counter medicines.

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink  <http://dx.doi.org/10.1787/888933281318>


### 10.3. Expenditure on pharmaceuticals as a share of GDP, 2013 (or nearest year)




1. Includes medical non-durables.

2. Excludes spending on over-the-counter medicines.


Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink  <http://dx.doi.org/10.1787/888933281325>


### 3.1. Life expectancy at birth, 1970 and 2013 (or nearest years)




Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink  <http://dx.doi.org/10.1787/888933280727>


### 3.3. Life expectancy at birth and health spending per capita, 2013 (or latest year)



Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.  
 StatLink  <http://dx.doi.org/10.1787/888933280727>

### 3.14. Infant mortality, 2013 (or nearest year)


Deaths per 1 000 live births




Note: The data for most countries are based on a minimum threshold of 22 weeks of gestation period (or 500 grams birthweight) to remove the impact of different registration practices of extremely premature babies across countries.

1. Three-year average (2011-13).

#### 4.7. Obesity among adults, 2013 (or nearest year)




source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.


StatLink  <http://dx.doi.org/10.1787/888933280857>



#### 4.9. Measured overweight (including obesity) among children, 2013 (or nearest year)




Source: World Obesity Federation (2015), KIGGS (2003-06) for Germany and KNHANES (2013) for Korea.


StatLink  <http://dx.doi.org/10.1787/888933280866>

### 3.16. Low birth weight infants, 2013 (or nearest year)


% of newborns weighing less than 2 500 g



Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink  <http://dx.doi.org/10.1787/888933280794>


## 5.1. Practising doctors per 1 000 population, 2000 and 2013 (or nearest year)




1. Data include not only doctors providing direct care to patients, but also those working in the health sector as managers, educators, researchers, etc. (adding another 5-10% of doctors).

2. Data refer to all doctors licensed to practice (resulting in a large over-estimation of the number of practising doctors in Portugal, of around 30%).

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.


StatLink  <http://dx.doi.org/10.1787/888933280876>

### 5.13. Practising nurses per 1 000 population, 2000 and 2013 (or nearest year)




1. Data include not only nurses providing direct care to patients, but also those working in the health sector as managers, educators, researchers, etc.
2. Data in Chile refer to all nurses who are licensed to practice (less than one-third are professional nurses with a university degree).
3. Austria reports only nurses employed in hospital.

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.


StatLink  <http://dx.doi.org/10.1787/888933280929>

### 6.1. Number of doctor consultations per person, 2013 (or nearest year)


Annual consultations per person



Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink  <http://dx.doi.org/10.1787/888933280967>


### 6.7. Hospital beds per 1 000 population, 2000 and 2013 (or nearest year)



Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink <http://dx.doi.org/10.1787/888933280981>

6.13. Average length of stay in hospital, 2000 and 2013 (or nearest year)




1. Data refer to average length of stay for curative (acute) care (resulting in an under-estimation).

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.

StatLink <http://dx.doi.org/10.1787/888933281004>


### 8.39. Doctor spending enough time with patient in consultation, 2013 (or nearest year)



Note: 95% confidence intervals represented by H.


1. National sources. 2. Data refer to patient experiences with regular doctor.

Source: Commonwealth Fund International Health Policy Survey 2013 and other national sources.

StatLink  <http://dx.doi.org/10.1787/888933281241>




### 7.6. Unmet care needs due to cost, by income level, 2013




Note: Either did not visit doctor when they had a medical problem, did not get recommended care or did not fill/skipped prescription.

Source: 2013 Commonwealth Fund International Health Policy Survey, complemented with data from the national survey for the Czech Republic (2010).

StatLink  <http://dx.doi.org/10.1787/888933281066>


Information on data for Israel: <http://oe.cd/israel-disclaimer>

### 7.1. Health insurance coverage for a core set of services, 2013



Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.  
 StatLink <http://dx.doi.org/10.1787/888933281052>

### 7.2. Private health insurance coverage, by type, 2013 (or nearest year)



Note: Private health insurance can be both duplicate and supplementary in Australia; both complementary and supplementary in Denmark and Korea; and duplicate, complementary and supplementary in Israel and Slovenia.

Source: OECD Health Statistics 2015, <http://dx.doi.org/10.1787/health-data-en>.  
 StatLink <http://dx.doi.org/10.1787/888933281052>